

ELECTRIC POWER. EXPANDED ENDODONTIC CONTROL.





BRASSELER
USA®

FORZA ELXT E

ENDO FEATURES

- Rotary Endo Mode
- Reciprocation Endo Mode
- Endo Torque Calibration Mode



Forza™ ELXT E Micromotor

- Speed Range: 100–40,000 rpm
- Torque: 4.2 Ncm
- Weight: 57 g
- White LED Optics
- 6 Customizable Memory Settings Plus 2 Endo Modes (Rotary and Reciprocation*)
- Endo Torque Calibration Function
- 3-Year Warranty

** "Recip Endo Mode" can be operated with the Forza EZ Endo Handpiece and works with the reciprocating file WaveOne®*

WaveOne® is a registered trademark of Dentsply Sirona, Inc.

MOTOR COMPARISON



76 grams

57 grams

Set Includes:

- Control Unit
- PC Box
- Micromotor with Cord
- Mounting Bracket for PC Box
- Power Cord
- AC Adapter (120V)



FORZA+ ATTACHMENTS

- Improved accessibility with 100° head
- Optimized gear structure for smooth cutting
- Lightweight titanium construction
- Anti-heat system
- Clean head system
- Ceramic bearings
- Improved durability compared to previous models

Adjustable Water Spray









Forza+™ X5

- 1:5 Speed Increasing
- 10,000–200,000 rpm
- Head Size: 13.8 x 8.9 mm
- Weight: 61 g
- For Friction-Grip Burs
- Cellular Glass Optic
- 3-Year Warranty

SHORTER LENGTH



85 mm




96 mm


SMALLER HEAD & NECK


Forza+™ X5





Average Electric Attachment Size








Forza+™ X1

- 1:1 Gear Ratio
- 2,000–40,000 rpm
- Head Size: 13.4 x 8.8 mm
- Weight: 58 g
- For Latch-Type Burs
- Cellular Glass Optic
- 3-Year Warranty

Forza+™ X2

- 1:1 Gear Ratio
- 2,000–40,000 rpm
- Head Size: 13.4 x 9.6 mm
- Weight: 63 g
- For Margin Refinement
- For Friction-Grip Burs
- Cellular Glass Optic
- 3-Year Warranty





Forza+™ X45

- 1:4.2 Speed Increasing
- 10,000–200,000 rpm
- Head Size: 14.5 x 9.6 mm
- Weight: 66 g
- 45° Angle Head
- For FG and Surgical FG Burs
- Cellular Glass Optic
- 3-Year Warranty

Forza™ EZ Endo

- 6:1 Gear Ratio
- 20–1,000 rpm
- Head Size: 11.3 x 8.6 mm
- Weight: 66 g
- For Endo Files
- 1-Year Warranty



FORZA ELM


Forza™ ELM Electric Micromotor

- Two Programmable Settings
- Motor Speed Range: 2,000–40,000 rpm
- Attachments Provide a System Speed Range of 100–200,000 rpm
- 3.4 Ncm of Torque
- Motor Weight: 61 g
- LED Optics
- 3-Year Warranty


Set Includes:

- Control Unit
- Micromotor with Cord
- AC Adapter (120V)





SHORT SERIES



Forza™ M5

- 1:5 Speed Increasing
- Lightweight, High-Strength Titanium
- 10,000–200,000 rpm
- Head Size: 13.7 x 8.8 mm
- Weight: 53 g
- For Friction-Grip Burs
- Fiber Optic
- 3-Year Warranty

Forza™ M1

- 1:1 Gear Ratio
- Lightweight, High-Strength Titanium
- 2,000–40,000 rpm
- Head Size: 13.4 x 8.8 mm
- Weight: 54 g
- For Latch-Type Burs
- Fiber Optic
- 3-Year Warranty





Forza™ F1S

- 1:1 Gear Ratio
- 2,000–40,000 rpm
- Weight: 68 g
- For Straight Handpiece Burs
- Single-Port Spray
- Non-Optic
- 2-Year Warranty



DIAMONDS



CARBIDES



POLISHERS



PROCEDURE SYSTEMS



BIOCERAMICS

Since 1976, our absolute focus has been to develop products and provide services that support the practice of core operatory procedures. Today, Brasseler USA® is the premier dental instrumentation company in North America, offering the most extensive selection of dental and surgical instrumentation under one brand.



HANDPIECES



ENDODONTICS



SMALL EQUIPMENT



HYGIENE



HAND INSTRUMENTS



ORAL SURGERY



LABORATORY INSTRUMENTS

AVAILABLE ONLY FROM YOUR GENUINE BRASSELER PRODUCTS BRASSELER REPRESENTATIVE

Visit our website at BrasselerUSA.com
To order, call 800.841.4522 or fax 888.610.1937. In Canada, call 800.363.3838.

©2026 Brasseler USA. All rights reserved. Printed in the U.S.A.

26-0472 | 2026-05-26 | 26PL1552 REV0